




Test Report No.

EFSN13040539C-2

Test Report

Applicant	
Address	
Test Item	
Sample Description	(2) CARPETS - BORDER COLLIE; (3) CARPETS - FOX; (4) CARPETS - ORANGUTAN; (5) CARPETS - PANDA; (6) CARPETS - PENGUIN (ROCKHOPPER); (7) FAVOURITE SONG MITTS - FIVE LITTLE DUCKS; (8) FINGER PUPPETS - FAIRY (BEE); (9) FINGER PUPPETS - FAIRY (BUTTERFLY, LIGHT SKIN); (11) FINGER PUPPETS - HUMPTY DUMPTY; (12) FINGER PUPPETS - PIRATE; (13) FINGER PUPPETS - QUEEN; (14) FINGER PUPPETS - SHEEP (BLACK); (15) FINGER PUPPETS - TWINKLE TWINKLE LITTLE STAR; (16) GIANT BIRDS - FLAMINGO; (17) HIDE-AWAY PUPPETS - BEAR IN A HONEY POT; (18) HIDE-AWAY PUPPETS - TAWNY OWL (WITH 3 BABIES); (19) LARGE BIRDS - BLUE & GOLD MACAW; (21) MONSTERS - BLUE MONSTER; (22) TEACHING MITTS - EXPRESSIONS; (23) TIME FOR STORY-PUNCH; PC008006, PC008012, PC008019, PC008020, PC008021, PC003061, PC002173; PC002174, PC030453, PC002181, PC002184, PC030454, PC030451, PC008203; PC003021, PC003025, PC003105, PC007708, PC003081, PC008408
Style/Model No.	
Delivery Condition	Apparent good, samples tested as received
Date of Receipt:	Apr. 18 th 2013; Apr. 25 th 2013
Test Period	Apr. 18 th 2013 to Apr. 25 th 2013
Testing Location	Shenzhen
Test Specification	EN 71 - 1: 2011 Mechanical and physical properties EN 71 - 2: 2011 Flammability EN 71 - 3: 1994+A1:2000+AC:2002 Migration of Certain Elements FprEN 71 - 3: 2013 Migration of Certain Elements
Test Result	PASS
Tested by:	Checked by:
 Tina Huang Toys Testing Manager May 14 th 2013	 Lydia Weng Chemical Lab Manager May 14 th 2013
 Volker Schwarz Technical Director May 14 th 2013	
Other Information / Remark:	
Labeled Age Grade: Suitable for 18 months and above. (for PC008203; PC003105; PC007708; PC008408) Suitable for 12 months and above. (for others) Requested Age Grade: Not present. Tested Age Grade: Over 12 months. (for PC003021; PC008408) All ages (for others)	
This test report is valid for the tested samples only. Without permission of the test center, this test report is not permitted to be duplicated in extracts. This test report does not entitle any third party to make copies or similar products.	

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.sfeurofins.com

Test Report No.

EFSN13040539C-2

EN 71 - 1: Mechanical and physical properties

Clause No.	Title	Result
4	General requirements	
4.1	Material cleanliness	P
4.2	Assembly	N/A
4.3	Flexible plastic sheeting	N/A
4.4	Toy bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	N/A
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	N/A
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys	N/A
4.14.1	Toys which a child can enter	N/A
4.14.2	Masks and helmets	N/A
4.15.1	Toys propelled by a child or by other means	N/A
4.15.2	Toy bicycles	N/A
4.15.3	Rocking horses and similar toys	N/A

Test Report No.

EFSN13040539C-2

Clause No.	Title	Result
4.15.4	Toys not propelled by a child	N/A
4.15.5	Toy scooters	N/A
4.16	Heavy immobile toys	N/A
4.17.1	Projectiles general	N/A
4.17.2	Projectile toys without stored energy	N/A
4.17.3	Projectile toys with stored energy	N/A
4.17.4	Bows and arrows	N/A
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	P
4.21	Toys containing a non-electrical heat source	N/A
4.22	Small balls	N/A
4.23.1	Magnets general	N/A
4.23.2	Toys other than magnetic/electrical experimental sets intended for children over 8 years	N/A
4.23.3	Magnetic/electrical experimental sets intended for children over 8 years	N/A
4.24	Yo-yo balls	N/A
4.25	Toys attached to food	N/A
5	Toy intended for children under 36 months	
5.1	General requirements	P
5.2	Soft-filled toys and soft-filled parts of a toy	P
5.3	Plastic sheeting	N/A
5.4	Cords, chains and electrical cables in toys	P
5.5	Liquid-filled toys	N/A

Test Report No.
EFSN13040539C-2

Clause No.	Title	Result
5.6	Speed limitation of electrically-driven ride-on toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size of certain toys	P
5.9	Toys comprising monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric-shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
6	Packaging	P
7	Warnings, markings and instructions for use	
	Markings and information required by Directive 2009/48/EC	P
7.1	General	P
7.2	Toys not intended for children under 36 months	N/A
7.3	Latex balloons	N/A
7.4	Aquatic toys	N/A
7.5	Functional toys	N/A
7.6	Hazardous sharp functional edges and points	N/A
7.7.1	Toys with projectiles which are able to discharge an object other than that provided with the toy	N/A
7.7.2	Toys capable of discharging a projectile with a kinetic energy greater than 0.08 J	N/A
7.8	Imitation protective masks and helmets	N/A
7.9	Toy kites	N/A
7.10.1	Roller skates, inline skates and skateboards	N/A

Test Report No.
EFSN13040539C-2

Clause No.	Title	Result
7.10.2	Ride-on toys without a braking device	N/A
7.10.3	Electrically-driven ride-on toys	N/A
7.10.4	Instructions for use	N/A
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator	N/A
7.12	Liquid-filled teethingers	N/A
7.13	Percussion caps specifically designed for use in toys	N/A
7.14	Acoustics	N/A
7.15	Toy bicycles	N/A
7.16	Toys intended to bear the mass of a child	N/A
7.17	Toys comprising monofilament fibres	N/A
7.18	Toy Scooters	N/A
7.19	Rocking horses and similar toys	N/A
7.20	Magnetic/electrical experimental sets	N/A
7.21	Toys with electrical cables exceeding 300 mm in length	N/A
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	N/A

Note: P = Pass F = Fail N/A = Not Applicable

Test Report No.
EFSN13040539C-2
EN 71 - 2: Flammability

Clause No.	Title	Result
4	Requirements	
4.1	General requirements	P
4.2	Toys to be worn on the head	
4.2.2	Beards, moustaches, wigs etc., made from hair, pile or material with similar features(e.g. free hanging ribbons, paper, cloth strands or other flowing elements), which protrude 50 mm or more from the surface of the toy	N/A
4.2.3	Beards, moustaches, wigs etc., made from hair, pile or material with similar features(e.g. free hanging ribbons, paper, cloth strands or other flowing elements), which protrude less than 50 mm from the surface of the toy	N/A
4.2.4	Full or partial moulded head masks	N/A
4.2.5	Flowing elements of toys to be worn on the head(except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and masks not covered by 4.2.4 which partially or fully cover the head(e.g. fabric and cardboard masks, eye masks, face masks), but excluding those items covered by 4.3	N/A
4.3	Toy disguise costumes and toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A
4.5	Soft-filled toys	P

Note: P = Pass F = Fail N/A = Not Applicable

Test Report No.
EFSN13040539C-2
Material list:

- Item No. 2: CARPETS - BORDER COLLIE
 Item No. 3: CARPETS - FOX
 Item No. 4: CARPETS - ORANGUTAN
 Item No. 5: CARPETS - PANDA
 Item No. 6: CARPETS - PENGUIN (ROCKHOPPER)
 Item No. 7: FAVORITE SONG MITTS - FIVE LITTLE DUCKS
 Item No. 8: FINGER PUPPETS - FAIRY(BEE)
 Item No. 9: FINGER PUPPETS - FAIRY(BUTTERFLY, LIGHT SKIN)
 Item No. 11: FINGER PUPPETS - HUMPTY DUMPTY
 Item No. 12: FINGER PUPPETS - PIRATE
 Item No. 13: FINGER PUPPETS - QUEEN
 Item No. 14: FINGER PUPPETS - SHEEP(BLACK)
 Item No. 15: FINGER PUPPETS - TWINKLE LITTLE STAR
 Item No. 16: GIANT BIRDS - FLAMINGO
 Item No. 17: HIDE-AWAY PUPPETS - BEAR IN A HONEY POT
 Item No. 18: HIDE-AWAY PUPPETS - TAWNY OWL (WITH 3 BABIES)
 Item No. 19: LARGE BIRDS - BLUE & GOLD MACAW
 Item No. 21: MONSTERS - BLUE MONSTER
 Item No. 22: TEACHING MITTS - EXPRESSIONS
 Item No. 23: TIME FOR STORY - PUNCH

Testing material No.	Component	Material	Colour	Item No.
1	Blue textile/plastic of body	Textile/plastic	Blue	19/21
2	Yellow textile/plastic of body	Textile/plastic	Yellow	19
3	Green textile/plastic of mane	Textile/plastic	Green	19/21
4	Black textile/plastic of body	Textile/plastic	Black	6/19
5	Transparent plastic of eyes	Plastic	Transparent	2/3/4/6/16/17/18/19/21
6	White textile of face with black printing	Textile/printing	White/black	19
7	Black and white coating on label	Coating	Black and white	2/3/4/5/6/7/8/9/11/12/13/14/15/16/17/18/19/21/22/23
8	Yellow plastic of eyes	Plastic	Yellow	19
9	Beige plastic at reverse side of eyes	Plastic	Beige	19
10	White plastic sublayer of mouth(mesh)	Plastic	White	16/19
11	White foam sublayer of mouth	Foam	White	16/19
12	Black textile/plastic of body	Textile/plastic	Black	2

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

13	Black textile of border collie's ears and fox's nose	Textile	Black	2/3
14	White textile/plastic of mane and tail	Textile/plastic	White	2/3
15	White textile/plastic of mouth	Textile/plastic	White	2/3/5
16	Black textile/plastic of nose	Textile/plastic	Black	2/17
17	Black textile thread on border collie, fox, orangutan, penguin, little star's mouth, humpty dumpty's shoes	Textile	Black	2/3/4/6/11/15
18	Coffee textile of paws(fabric)	Textile	Coffee	2/3
19	Coffee textile of paws(thread)	Textile	Coffee	2/3
20	Black textile of lining	Textile	Black	2/5
21	White textile substrate of label	Textile	White	2/3/4/5/6/7/8/9/ 11/12/13/14/15/ 16/17/18/19/21/ 22/23
22	Orange textile/plastic of body	Textile/plastic	Orange	3
23	Orange textile/plastic of tail	Textile/plastic	Orange	3
24	Black textile/plastic of ears	Textile/plastic	Black	3
25	White textile/plastic of face	Textile/plastic	White	3
26	Black textile of beards	Textile	Black	3/17
27	Black plastic thread beards	Plastic	Black	3
28	Black textile of toes	Textile	Black	3
29	Orange textile of lining	Textile	Orange	3
30	Light brown textile/plastic of body	Textile/plastic	Light brown	4
31	Light brown textile/plastic of face	Textile/plastic	Light brown	4
32	Light brown textile of nose and ears	Textile	Light brown	4
33	Brick-red textile of paws	Textile	Brick-red	4
34	Brick-red textile thread on paws	Textile	Brick-red	4
35	Light brown textile of lining	Textile	Light brown	4
36	Black textile/plastic of body	Textile/plastic	Black	5
37	White textile/plastic of head	Textile/plastic	White	5
38	Black plastic of eyes	Plastic	Black	5
39	Grey textile of paws(fabric)	Textile	Grey	5
40	Grey textile of paws(thread)	Textile	Grey	5

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pl.eurofins.com

Test Report No.
EFSN13040539C-2

41	Black textile/plastic of body	Textile/plastic	Black	6
42	White textile/plastic of body	Textile/plastic	White	6
43	Dark yellow textile/plastic of mane	Textile/plastic	Dark yellow	6
44	Dark yellow textile of beak	Textile	Dark yellow	6
45	Grey textile of paws	Textile	Grey	6
46	White textile of lining	Textile	White	6
47	Blue textile of glove	Textile	Blue	7
48	Light green textile rim of glove	Textile	Light green	7/22
49	Yellow textile of duck's body	Textile	Yellow	7
50	Yellow textile of duck's mane	Textile	Yellow	7
51	Multicolor printing on duck's body	Printing	Multicolor	7
52	Dark yellow textile of legs	Textile	Dark yellow	7
53	Yellow textile of duck's paws	Textile	Yellow	7
54	Yellow textile thread on duck's paws	Textile	Yellow	7
55	Blue textile lining of glove	Textile	Blue	7/22
56	Black textile of hair	Textile	Black	8/12
57	Black textile of scal with transparent glue	Textile/glue	Black/transparent	8/12
58	Yellow textile of ribbon	Textile	Yellow	8/11
59	Fleshcolor textile of face with multicolor printing	Textile/printing	Fleshcolor/multicolor	8/9
60	Yellow and black textile of dress, gloves and boots	Textile	Yellow and black	8
61	Black textile of dress	Textile	Black	8
62	Black textile of ribbon on gloves and boots	Textile	Black	8
63	Yellow textile of wings	Textile	Yellow	8
64	Silvery and orange printing on wings	Printing	Silvery and orange	8
65	White textile sublayer of wings	Textile	White	8
66	White textile of elastic band	Textile	White	8/9/13
67	White plastic of elastic band	Plastic	White	8/9/13
68	Black textile of pants	Textile	Black	8
69	Mauve textile of hair	Textile	Mauve	9
70	Mauve textile of scal with transparent glue	Textile/glue	Mauve/transparent	9
71	Purple textile of ribbon on hair	Textile	Purple	9
72	Purple textile of collar	Textile	Purple	9
73	Pink textile of dress	Textile	Pink	9
74	Pink plastic of dress(mesh)	Plastic	Pink	9

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

75	Dark purple textile of bowknot	Textile	Dark purple	9
76	Dark purple textile of gloves	Textile	Dark purple	9
77	Dark purple textile thread on gloves	Textile	Dark purple	9
78	Pink textile rim of gloves and wings	Textile	Pink	9
79	Purple textile of shoes	Textile	Purple	9
80	Purple textile of pants	Textile	Purple	9
81	Pink and blue printing on wings	Printing	Pink and blue	9
82	Purple textile sublayer of wings	Textile	Purple	9
83	Black plastic of gingerbread man's button, humpty dumpty, sheep's eyes	Plastic	Black	11/14
84	Red textile of hat	Textile	Red	11
85	Fleshcolor textile of face with black printing	Textile/printing	Fleshcolor/black	11/12
86	Multicolor textile of coat	Textile	Multicolor	11
87	Light yellow textile of arms	Textile	Light yellow	11
88	Fleshcolor textile thread on hands	Textile	Fleshcolor	11/12
89	Red textile of legs	Textile	Red	11
90	Brown textile of shoes	Textile	Brown	11
91	White textile of lining	Textile	White	11
92	Black textile of hat and coat	Textile	Black	12
93	Light red textile rim of hat and coat	Textile	Light red	12
94	Multicolor printing on hat and face	Printing	Multicolor	12
95	White textile of coat with black and golden printing	Textile/printing	White/black and golden	12
96	Red textile of ribbon on sleeves	Textile	Red	12
97	Golden and red coating on coat	Coating	Golden and red	12
98	Green textile of trousers	Textile	Green	12
99	Black textile of boots with golden printing	Textile/printing	Black/golden	12
100	Muddy yellow textile of legs	Textile	Muddy yellow	12
101	Fleshcolor textile of face with multicolor printing	Textile/printing	Fleshcolor/multicolor	13
102	Grey textile of hair	Textile	Grey	13
103	Golden and white synthetic leather of crown with red printing	Synthetic leather/printing	Golden and white/red	13
104	White textile of collar	Textile	White	13
105	Red textile of dress	Textile	Red	13
106	Purple textile of dress	Textile	Purple	13
107	Golden textile rim of dress	Textile	Golden	13

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

108	Purple textile of shoes	Textile	Purple	13
109	White textile of pants	Textile	White	13
110	Black textile/plastic of body	Textile/plastic	Black	14
111	Black textile of head, ears and paws	Textile	Black	14/17
112	Brown textile thread on mouth	Textile	Brown	14
113	Black textile of legs	Textile	Black	14
114	Black textile of lining	Textile	Black	14/17
115	Silvery and white synthetic leather of little star	Synthetic leather	Silvery and white	15
116	Black and white textile of eyes	Textile	Black and white	15/16/17/23
117	Grey textile of lining	Textile	Grey	15
118	Fleshcolor textile of beak	Textile	Fleshcolor	16
119	Black textile of beak	Textile	Black	16/19
120	Cyan textile of eyes	Textile	Cyan	16
121	Pink textile of rope	Textile	Pink	16
122	Pink textile of body	Textile	Pink	16
123	Pink textile/plastic of body	Textile/plastic	Pink	16
124	Pink textile of legs and paws	Textile	Pink	16
125	Pink textile thread on paws	Textile	Pink	16
126	Pink textile of lining	Textile	Pink	16
127	White textile sublayer of mouth	Textile	White	16
128	Light brown textile of rhoney pot with black printing	Textile/printing	Light brown/black	17
129	Yellow textile of honey	Textile	Yellow	17
130	Light brown textile of ribbon	Textile	Light brown	17
131	White textile thread on head	Textile	White	17
132	White plastic velcro	Plastic	White	17
133	Yellow textile of body(tassels)	Textile	Yellow	17
134	Black textile of body(tassels)	Textile	Black	17
135	Transparent plastic of wings with black coating	Plastic/coating	Transparent/black	17
136	Brown textile/plastic of body	Textile/plastic	Brown	17
137	Fleshcolor textile/plastic of ears and face	Textile/plastic	Fleshcolor	17
138	Pink textile of mouth	Textile	Pink	17
139	Brown textile of paws	Textile	Brown	17
140	Fleshcolor textile of paws(fabric)	Textile	Fleshcolor	17
141	Fleshcolor textile of paws(thread)	Textile	Fleshcolor	17
142	Brown textile of lining	Textile	Brown	17
143	White textile of lining	Textile	White	17

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

144	Light brown and black textile/plastic of body	Textile/plastic	Light brown and black	18
145	Fleshcolor textile/plastic of body	Textile/plastic	Fleshcolor	18
146	Light brown textile/plastic of wings	Textile/plastic	Light brown	18
147	Black synthetic leather of beak and toes	Synthetic leather	Black	18
148	Grey textile/plastic of paws	Textile/plastic	Grey	18
149	Dark yellow textile/plastic of velcro(hook)	Textile/plastic	Dark yellow	18
150	Dark yellow textile/plastic of velcro(loop)	Textile/plastic	Dark yellow	18
151	Fleshcolor textile of tail	Textile	Fleshcolor	18
152	Fleshcolor textile thread on tail	Textile	Fleshcolor	18
153	Cream textile of lining	Textile	Cream	18
154	Offwhite and brown textile of body	Textile	Offwhite and brown	18
155	Golden and brown textile of body	Textile	Golden and brown	18
156	Grey and brown textile of paws	Textile	Grey and brown	18
157	Black and white synthetic leather of beak	Synthetic leather	Black and white	18
158	Light brown textile of lining	Textile	Light brown	18
159	Grey textile of mouth, legs and paws	Textile	Grey	19
160	Yellow textile of wings	Textile	Yellow	19
161	White textile sublayer of eyes	Textile	White	19
162	White plastic of tube	Plastic	White	19
163	White textile covering of tube	Textile	White	19/21
165	Green textile of horn	Textile	Green	21
166	Black textile/plastic of eyelids	Textile/plastic	Black	21
167	White textile of eyelids	Textile	White	21
168	Green textile/plastic of nose	Textile/plastic	Green	21
169	Green textile of tongue	Textile	Green	21
170	Black textile of mouth	Textile	Black	21
171	White textile of teeth	Textile	White	21
172	Black textile of paws	Textile	Black	21
173	Black textile of toes	Textile	Black	21
174	White textile sublayer of mouth	Textile	White	21
175	White EVA sublayer of mouth	EVA	White	21
176	Light blue textile of glove	Textile	Light blue	22
177	Fleshcolor textile of head with black and white printing	Textile/printing	Fleshcolor/black and white	22

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

178	Red textile of hair	Textile	Red	22
179	Black textile of hair	Textile	Black	22
180	Brown textile of hair	Textile	Brown	22
181	Yellow textile of hair	Textile	Yellow	22
182	Fleshcolor textile head and hands	Textile	Fleshcolor	23
183	Grey textile of hair	Textile	Grey	23
184	Red textile of suit with orange printing	Textile/printing	Red/orange	23
185	Yellow textile of suit with red printing	Textile/printing	Yellow/red	23
186	Dark blue textile of eyes	Textile	Dark blue	23
187	Pink textile of eyelids (fabric)	Textile	Pink	23
188	Pink textile of eyelids (thread)	Textile	Pink	23
189	Red textile of mouth	Textile	Red	23
190	White and grey textile of teeth	Textile	White and grey	23
191	Green textile of decoration on suit	Textile	Green	23
192	Yellow textile of brede on suit	Textile	Yellow	23
193	Fleshcolor textile thread on hands	Textile	Fleshcolor	23
194	Red textile of lining	Textile	Red	23

Test Report No.
EFSN13040539C-2
EN 71 – 3: 1994+A1:2000+AC:2002 Migration of Certain Elements

As per European Standard on Safety of Toys EN 71 Part 3 : 1994+A1:2000+AC:2002, soluble toxic element contents are determined by Inductively Coupled Plasma – Atomic Emission Spectrometry.

Detection limit : 2.5ppm for each of the 8 soluble toxic elements

Analysis results:

Test No.	Material No.	Testing element							
		As	Ba	Cd	Cr	Hg	Pb	Sb	Se
		Limit [mg/kg]							
		25	1000	75	60	60	90	60	500
1	1	<2.5	5.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
2	2	<2.5	6.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
3	3	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
4	4	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
6	6	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
7	7 (10.1mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
8	8	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
9	9	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	4.0	<2.5
11	11	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
12	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
13	13	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
14	14	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
16	16	<2.5	8.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
17	17 (17.0mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
18	18 (98.7mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	9.0	<2.5
19	19	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
21	21 (90.5mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
22	22	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
23	23	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
24	24	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
25	25	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
26	26	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test No.	Material No.	Testing element							
		As	Ba	Cd	Cr	Hg	Pb	Sb	Se
		Limit [mg/kg]							
		25	1000	75	60	60	90	60	500
27	27 (51.4mg)(*1)	<2.5	12	<2.5	<2.5	<2.5	4.0	<2.5	<2.5
28	28	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	21	<2.5
29	29	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
30	30	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
31	31	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
32	32	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
33	33	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
34	34 (52.0mg)(*1)	<2.5	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
35	35	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
36	36	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
37	37	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
38	38	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
39	39 (98.6mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	8.0	<2.5
40	40	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
41	41	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
42	42	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
43	43	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
44	44	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
45	45	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
46	46	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
47	47	<2.5	168	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
48	48	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
49	49	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
50	50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
51	51 (33.7mg)(*1)	<2.5	5.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
52	52	<2.5	27	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
53	53	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
54	54 (54.9mg)(*1)	<2.5	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
55	55	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
56	56	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test No.	Material No.	Testing element							
		As	Ba	Cd	Cr	Hg	Pb	Sb	Se
		Limit (mg/kg)							
		25	1000	75	60	60	90	60	500
57	57	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
58	58 (34.3mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
59	59	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
60	60	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
61	61	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
62	62	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
63	63	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	7.0	<2.5
64	64 (17.4mg)(*1)	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
65	65	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	84	<2.5
66	66 (16.8mg)(*1)	<2.5	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
67	67 (20.3mg)(*1)	<2.5	113	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
68	68	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
69	69	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
70	70	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
71	71 (30.2mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
72	72	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
73	73	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
74	74	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
75	75	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
76	76	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
77	77 (26.4mg)(*1)	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
78	78 (26.1mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
79	79	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
80	80	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
81	81 (25.0mg)(*1)	<2.5	11	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
82	82	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	5.0	<2.5
83	83	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
84	84	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	14	<2.5
85	85	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
86	86	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test No.	Material No.	Testing element							
		As	Ba	Cd	Cr	Hg	Pb	Sb	Se
		Limit [mg/kg]							
		25	1000	75	60	60	90	60	500
87	87	<2.5	6.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
88	88 (61.7mg)(*1)	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
89	89	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
90	90	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
91	91	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
92	92	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
93	93	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
94	94 (*2)	-	-	-	-	-	-	-	-
95	95	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
96	96	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
97	97 (10.0mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
98	98	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
99	99	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
100	100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
101	101	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
102	102	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
103	103	<2.5	7.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
104	104	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
105	105	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
106	106	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
107	107	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
108	108	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
109	109	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
110	110	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
111	111	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	5.0	<2.5
112	112 (27.3mg)(*1)	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
113	113	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
114	114	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
115	115	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
116	116	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
117	117	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Note: - < = less than

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test No.	Material No.	Testing element							
		As	Ba	Cd	Cr	Hg	Pb	Sb	Se
		Limit [mg/kg]							
		25	1000	75	60	60	90	60	500
118	118	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
119	119	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
120	120	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
121	121	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
122	122	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
123	123	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
124	124	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
125	125	<2.5	21	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
126	126	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
127	127	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	30	<2.5
128	128	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
129	129	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	12	<2.5
130	130	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
131	131 (*2)	-	-	-	-	-	-	-	-
132	132 (33.2mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
133	133	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
134	134	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
135	135	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
136	136	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
137	137	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
138	138	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
139	139	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
140	140	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
141	141	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
142	142	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
143	143	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
144	144	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	7.0	<2.5
145	145	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
146	146	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
147	147	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
148	148	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
149	149	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test No.	Material No.	Testing element							
		As	Ba	Cd	Cr	Hg	Pb	Sb	Se
		Limit [mg/kg]							
		25	1000	75	60	60	90	60	500
150	150	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
151	151	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
152	152 (15.4mg)(*1)	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
153	153	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
154	154	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
155	155	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
156	156	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
157	157	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
158	158	<2.5	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
159	159	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
160	160	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
161	161	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
162	162	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
163	163	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
165	165	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
166	166	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
167	167	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	4.0	<2.5
168	168	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
169	169	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
170	170	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
171	171	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	63	<2.5
172	172	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	10	<2.5
173	173	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	19	<2.5
174	174	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	5.0	<2.5
175	175	<2.5	15	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
176	176	<2.5	394	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
177	177	<2.5	23	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
178	178	<2.5	6.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
179	179	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
180	180	<2.5	4.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

Test No.	Material No.	Testing element							
		As	Ba	Cd	Cr	Hg	Pb	Sb	Se
		Limit [mg/kg]							
		25	1000	75	60	60	90	60	500
181	181	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
182	182	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	4.0	<2.5
183	183	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
184	184	<2.5	<2.5	<2.5	<2.5	<2.5	3.0	<2.5	<2.5
185	185	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
186	186 (33.4mg)(*1)	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
187	187	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
188	188	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
189	189	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
190	190	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
191	191	<2.5	3.0	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
192	192	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
193	193 (88.2mg)(*1)	<2.5	12	<2.5	<2.5	<2.5	<2.5	3.0	<2.5
194	194	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5

Note: - < = less than

Remark:

*1. The weight of sample marked (*1) available was less than 100mg, but greater than 10mg, so result was calculated as if 100mg of the sample was available.

*2. The weight of sample marked (*2) available was less than 10mg, so the test for soluble heavy metal content was not performed.

Test Report No.

EFSN13040539C-2

FprEN 71 – 3: 2013 Migration of Certain Elements

A, General elements (Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin, Zinc and Chromium)

Test method : FprEN 71-3:2013 Clause 7, 8 and Annex E.

Test limit and MDL: Refer to table 1.

Test result :

Test Material No.	Category	Testing element																
		Al	Sb	As	Ba	B	Cd	Co	Cu	Pb	Mn	Hg	Ni	Se	Sr	Sn	Zn	Cr
		Test result (mg/kg)																
1	III	19	N.D.	N.D.	5	N.D.	N.D.	N.D.	7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	18	0.037 (*6)
2	III	15	N.D.	N.D.	6	N.D.	N.D.	N.D.	7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	17	0.032 (*6)
3	III	15	N.D.	N.D.	4	N.D.	N.D.	N.D.	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	19	0.027 (*6)
4	III	5	3	N.D.	2	N.D.	N.D.	N.D.	7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	22	0.121 (*6)
5	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	8	0.146 (*6)
6	III	3	2	N.D.	1	N.D.	N.D.	N.D.	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.090 (*6)
7 (10.1mg) (*3)	III	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	2	0.12 (*5)	1	0.028 (*6)
8	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	16	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.127 (*6)
9	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.096 (*6)
10	III	1	4	N.D.	N.D.	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.074 (*6)
11	III	2	N.D.	N.D.	1	N.D.	N.D.	N.D.	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.56 (*5)	5	0.109 (*6)
12	III	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	8	0.052 (*6)
13	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.096 (*6)
14	III	7	2	0.1	N.D.	1	N.D.	N.D.	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	0.050 (*6)
15	III	3	N.D.	N.D.	N.D.	1	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.112 (*6)
16	III	29	N.D.	N.D.	8	2	N.D.	N.D.	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	22	0.452 (*7)
17 (17.0mg) (*3)	III	N.D.	1	N.D.	2	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	0.034 (*6)
18 (98.7mg) (*3)	III	11	9	N.D.	2	1	0.1	N.D.	4	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	14	0.163 (*6)
19	III	1	N.D.	N.D.	N.D.	1	N.D.	N.D.	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.107 (*6)
20	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.044 (*6)

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

Test Material No.	Category	Testing element																
		Al	Sb	As	Ba	B	Cd	Co	Cu	Pb	Mn	Hg	Ni	Se	Sr	Sn	Zn	Cr
		Test result (mg/kg)																
21 (90.5mg) (*3)	III	36	N.D.	N.D.	2	2	N.D.	N.D.	7	N.D.	6	N.D.	N.D.	N.D.	12	N.D.	5	0.221 (*7)
22	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	N.D.
23	III	14	N.D.	N.D.	2	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.046 (*6)
24	III	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	14	0.044 (*6)
25	III	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	8	0.005 (*6)
26	III	3	1	N.D.	2	N.D.	N.D.	N.D.	8	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	8	0.076 (*6)
27 (51.4mg) (*3)	III	17	N.D.	N.D.	12	N.D.	N.D.	N.D.	25	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	23	0.061 (*6)
28	III	N.D.	21	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.018 (*6)
29	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.
30	III	14	N.D.	N.D.	2	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	8	0.012 (*6)
31	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.014 (*6)
32	III	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.110 (*6)
33	III	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.054 (*6)
34 (52.0mg) (*3)	III	1	N.D.	N.D.	15	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.104 (*6)
35	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	0.017 (*6)
36	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	8	0.007 (*6)
37	III	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.042 (*6)
38	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	0.052 (*6)
39 (98.6mg) (*3)	III	N.D.	8	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.042 (*6)
40	III	2	N.D.	N.D.	2	N.D.	N.D.	N.D.	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.028 (*6)
41	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	N.D.
42	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	N.D.
43	III	15	1	N.D.	4	N.D.	N.D.	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	13	0.134 (*6)
44	III	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.057 (*6)
45	III	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.028 (*6)
46	III	N.D.	1	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.013 (*6)
47	III	10	N.D.	N.D.	168	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	N.D.	25	0.092 (*6)
48	III	N.D.	1	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test Material No.	Category	Testing element																
		Al	Sb	As	Ba	B	Cd	Co	Cu	Pb	Mn	Hg	Ni	Se	Sr	Sn	Zn	Cr
		Test result (mg/kg)																
49	III	1	1	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.038 (*6)
50	III	4	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.101 (*6)
51 (33.7mg) (*3)	III	20	N.D.	N.D.	5	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	8	N.D.	48	N.D.
52	III	2	N.D.	N.D.	27	N.D.	N.D.	N.D.	63	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.354 (*7)
53	III	1	N.D.	N.D.	1	N.D.	N.D.	N.D.	8	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	11	0.120 (*6)
54 (54.9mg) (*3)	III	N.D.	N.D.	N.D.	15	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.040 (*6)
55	III	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	0.063 (*6)
56	III	7	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.053 (*6)
57	III	3	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.388 (*7)
58 (34.3mg) (*3)	III	2	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	0.024 (*6)
59	III	9	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	5	0.561 (*7)
60	III	8	N.D.	N.D.	2	1	N.D.	N.D.	1	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	22	0.294 (*7)
61	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.034 (*6)
62	III	1395	N.D.	N.D.	3	2	N.D.	N.D.	N.D.	N.D.	3	N.D.	2	N.D.	2	N.D.	30	1.307 (*7)
63	III	7491	7	N.D.	3	4	N.D.	N.D.	1	1	1	N.D.	N.D.	N.D.	N.D.	N.D.	33	0.395 (*7)
64 (17.4mg) (*3)	III	15418	N.D.	0.3	4	5	N.D.	N.D.	N.D.	N.D.	1	N.D.	1	N.D.	N.D.	N.D.	36	0.387 (*7)
65	III	187	84	N.D.	N.D.	6	N.D.	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.059 (*6)
66 (16.8mg) (*3)	III	13	2	N.D.	15	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	272	N.D.
67 (20.3mg) (*3)	III	18	N.D.	N.D.	113	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	1075	0.035 (*6)
68	III	17	2	N.D.	1	6	N.D.	N.D.	1	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	8	0.201 (*7)
69	III	13	N.D.	N.D.	1	3	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.056 (*6)
70	III	15	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	6	0.168 (*6)
71 (30.2mg) (*3)	III	7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	0.060 (*6)
72	III	1265	N.D.	N.D.	2	N.D.	0.1	N.D.	2	N.D.	2	N.D.	2	N.D.	2	N.D.	19	0.320 (*7)
73	III	15	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.078 (*6)
74	III	11	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.059 (*6)

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test Material No.	Category	Testing element																
		Al	Sb	As	Ba	B	Cd	Co	Cu	Pb	Mn	Hg	Ni	Se	Sr	Sn	Zn	Cr
		Test result (mg/kg)																
75	III	14	N.D.	N.D.	1	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	0.168 (*6)
76	III	22	N.D.	N.D.	4	N.D.	N.D.	N.D.	6	N.D.	1	N.D.	3	N.D.	1	N.D.	17	0.240 (*7)
77 (26.4mg) (*3)	III	10	N.D.	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.049 (*6)
78 (26.1mg) (*3)	III	404	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.079 (*6)
79	III	9	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	10	0.156 (*6)
80	III	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	5	0.095 (*6)
81 (25.0mg) (*3)	III	551	N.D.	0.3	11	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	7	N.D.	222	0.503 (*7)
82	III	3	5	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.029 (*6)
83	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	0.007 (*6)
84	III	3	14	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	0.044 (*6)
85	III	8	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.093 (*6)
86	III	8	N.D.	N.D.	4	N.D.	0.2	N.D.	2	N.D.	1	N.D.	1	N.D.	5	N.D.	18	0.190 (*6)
87	III	10	N.D.	N.D.	6	N.D.	N.D.	N.D.	11	N.D.	4	N.D.	N.D.	N.D.	27	N.D.	12	0.248 (*7)
88 (61.7mg) (*3)	III	2	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.
89	III	8	N.D.	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	4	N.D.	N.D.	N.D.	43	N.D.	12	0.566 (*7)
90	III	6	N.D.	N.D.	3	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	12	0.124 (*6)
91	III	N.D.	N.D.	1.1	1	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.63 (*5)	5	0.032 (*6)
92	III	4	1	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.030 (*6)
93	III	5	N.D.	N.D.	1	N.D.	0.1	N.D.	5	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	8	0.068 (*6)
94 (*4)	III	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
95	III	8	1	N.D.	3	N.D.	N.D.	N.D.	690	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	306	0.211 (*7)
96	III	8	N.D.	N.D.	1	N.D.	N.D.	N.D.	7	N.D.	2	N.D.	1	N.D.	N.D.	N.D.	8	0.177 (*6)
97 (10.0mg) (*3)	III	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	512	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	198	N.D.
98	III	5	N.D.	N.D.	2	N.D.	N.D.	N.D.	8	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	7	0.156 (*6)
99	III	4	N.D.	N.D.	2	N.D.	N.D.	N.D.	20	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	18	0.487 (*7)
100	III	18	N.D.	N.D.	1	N.D.	N.D.	N.D.	5	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	7	0.117 (*6)

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

Test Material No.	Category	Testing element																
		Al	Sb	As	Ba	B	Cd	Co	Cu	Pb	Mn	Hg	Ni	Se	Sr	Sn	Zn	Cr
		Test result (mg/kg)																
101	III	23	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.111 ('6)
102	III	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.035 ('6)
103	III	75	N.D.	0.4	7	N.D.	N.D.	N.D.	N.D.	N.D.	6	N.D.	N.D.	N.D.	42	N.D.	7	0.287 ('7)
104	III	5	N.D.	N.D.	3	N.D.	N.D.	N.D.	2	N.D.	2	N.D.	N.D.	N.D.	6	N.D.	7	0.055 ('6)
105	III	3	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.
106	III	3	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	N.D.
107	III	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.007 ('6)
108	III	3	N.D.	N.D.	N.D.	N.D.	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.068 ('6)
109	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.071 ('6)
110	III	2	3	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.027 ('6)
111	III	2	5	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.016 ('6)
112 (27.3mg) ('3)	III	N.D.	N.D.	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	N.D.
113	III	5	N.D.	N.D.	2	N.D.	N.D.	N.D.	10	N.D.	1	N.D.	N.D.	N.D.	4	N.D.	16	0.093 ('6)
114	III	13	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.061 ('6)
115	III	595	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.036 ('6)
116	III	7	N.D.	N.D.	1	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.068 ('6)
117	III	3	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	N.D.
118	III	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.012 ('6)
119	III	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.041 ('6)
120	III	2	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	5	0.070 ('6)
121	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.052 ('6)
122	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	N.D.
123	III	22	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	15	N.D.
124	III	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	N.D.
125	III	3	3	N.D.	21	N.D.	N.D.	N.D.	10	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	15	0.268 ('7)
126	III	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.056 ('6)
127	III	2	30	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.007 ('6)
128	III	2	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.034 ('6)

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test Material No.	Category	Testing element																
		Al	Sb	As	Ba	B	Cd	Co	Cu	Pb	Mn	Hg	Ni	Se	Sr	Sn	Zn	Cr
		Test result (mg/kg)																
157	III	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.026 (*6)
158	III	215	N.D.	N.D.	15	13	N.D.	N.D.	N.D.	N.D.	13	N.D.	1	N.D.	235	N.D.	12	0.962 (*7)
159	III	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	N.D.
160	III	3	2	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	N.D.
161	III	3	N.D.	N.D.	2	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.058 (*6)
162	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.
163	III	2	N.D.	N.D.	1	N.D.	N.D.	N.D.	19	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	21	0.017 (*6)
165	III	4	1	N.D.	N.D.	N.D.	N.D.	N.D.	17	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	20	0.036 (*6)
166	III	3	1	N.D.	1	N.D.	N.D.	N.D.	13	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	21	0.068 (*6)
167	III	2	4	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	3	0.272 (*7)
168	III	2	1	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.006 (*6)
169	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	8	0.061 (*6)
170	III	2	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.053 (*6)
171	III	4	63	N.D.	1	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	8	0.015 (*6)
172	III	3	10	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.044 (*6)
173	III	2	19	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.082 (*6)
174	III	2	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.037 (*6)
175	III	10	3	N.D.	15	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	7	N.D.	170	0.307 (*7)
176	III	151	3	N.D.	394	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	N.D.	491	0.356 (*7)
177	III	11	3	N.D.	23	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.	24	0.138 (*6)
178	III	11	2	N.D.	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.633 (*7)
179	III	3	2	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4	0.691 (*7)
180	III	3	2	N.D.	4	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.280 (*7)
181	III	7	2	N.D.	3	N.D.	N.D.	N.D.	9	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.750 (*7)
182	III	3	4	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.180 (*6)
183	III	4	3	N.D.	1	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	18	0.053 (*6)
184	III	8	2	N.D.	2	N.D.	N.D.	N.D.	36	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	29	0.067 (*6)
185	III	12	3	N.D.	1	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	45	0.076 (*6)
186 (33.4mg) (*3)	III	2	2	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	6	0.128 (*6)

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test Material No.	Category	Testing element																
		Al	Sb	As	Ba	B	Cd	Co	Cu	Pb	Mn	Hg	Ni	Se	Sr	Sn	Zn	Cr
		Test result (mg/kg)																
129	III	N.D.	12	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.094 (*6)
130	III	10	1	N.D.	2	N.D.	N.D.	N.D.	9	N.D.	3	N.D.	1	N.D.	N.D.	N.D.	14	0.176 (*6)
131 (*4)	III	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
132 (33.2mg) (*3)	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	33	0.021 (*6)
133	III	3	2	N.D.	1	N.D.	N.D.	N.D.	31	N.D.	N.D.	N.D.	2	N.D.	N.D.	N.D.	32	0.165 (*6)
134	III	4	1	N.D.	2	N.D.	N.D.	N.D.	11	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	15	0.088 (*6)
135	III	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1	0.010 (*6)
136	III	3	2	N.D.	N.D.	N.D.	N.D.	N.D.	15	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	35	0.025 (*6)
137	III	2	1	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.034 (*6)
138	III	3	1	N.D.	2	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	7	0.139 (*6)
139	III	1569	1	N.D.	2	N.D.	0.2	N.D.	4	N.D.	1	N.D.	1	N.D.	2	N.D.	19	0.472 (*7)
140	III	28	2	N.D.	N.D.	N.D.	N.D.	N.D.	16	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.062 (*6)
141	III	11	1	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	19	0.038 (*6)
142	III	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.030 (*6)
143	III	2	2	N.D.	N.D.	N.D.	N.D.	N.D.	9	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.016 (*6)
144	III	11	7	N.D.	1	N.D.	N.D.	N.D.	7	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	47	0.034 (*6)
145	III	2	1	N.D.	N.D.	N.D.	N.D.	N.D.	9	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	13	0.030 (*6)
146	III	2	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	15	0.012 (*6)
147	III	15	N.D.	N.D.	1	N.D.	N.D.	N.D.	15	N.D.	5	N.D.	N.D.	N.D.	55	N.D.	4	0.070 (*6)
148	III	1	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	25	0.009 (*6)
149	III	1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.055 (*6)
150	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	3	0.041 (*6)
151	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	0.043 (*6)
152 (15.4mg) (*3)	III	N.D.	N.D.	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2	N.D.
153	III	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	13	0.027 (*6)
154	III	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	11	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	13	N.D.
155	III	2	N.D.	N.D.	2	N.D.	N.D.	N.D.	6	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	11	0.046 (*6)
156	III	6	N.D.	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	0.074 (*6)

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2
B, Chromium (III) and Chromium (VI)

Test method : FprEN 71-3:2013 Clause 7, 8 and Annex F.
HPLC-ICP-MS technique

Test limit and MDL: Refer to table 2.

Test result :

Test Material No.	16	21	52	57	59	60	62
Category	III	III	III	III	III	III	III
Element	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)
Chromium (III) (Cr3+)	0.452	0.221	0.354	0.388	0.561	0.294	1.307
Chromium (VI) (Cr6+)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Test Material No.	63	64	68	72	76	81	87
Category	III	III	III	III	III	III	III
Element	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)
Chromium (III) (Cr3+)	0.395	0.387	0.201	0.320	0.240	0.503	0.248
Chromium (VI) (Cr6+)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Test Material No.	89	95	99	103	125	139	158
Category	III	III	III	III	III	III	III
Element	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)
Chromium (III) (Cr3+)	0.566	0.211	0.487	0.287	0.268	0.472	0.962
Chromium (VI) (Cr6+)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Test Material No.	167	175	176	178	179	180	181
Category	III	III	III	III	III	III	III
Element	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)	Test Result (mg/kg)
Chromium (III) (Cr3+)	0.272	0.307	0.356	0.633	0.691	0.280	0.750
Chromium (VI) (Cr6+)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.

EFSN13040539C-2

Test Material No.	Category	Testing element																
		Al	Sb	As	Ba	B	Cd	Co	Cu	Pb	Mn	Hg	Ni	Se	Sr	Sn	Zn	Cr
		Test result (mg/kg)																
187	III	3	2	N.D.	2	N.D.	N.D.	N.D.	5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.072 (*6)
188	III	2	2	N.D.	3	N.D.	N.D.	N.D.	1	N.D.	N.D.	N.D.	N.D.	N.D.	1	N.D.	8	0.043 (*6)
189	III	2	2	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.055 (*6)
190	III	2	2	N.D.	3	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	6	0.069 (*6)
191	III	11	3	N.D.	3	9	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	9	0.135 (*6)
192	III	2	2	N.D.	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.070 (*6)
193 (88.2mg) (*3)	III	N.D.	3	N.D.	12	N.D.	N.D.	N.D.	10	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	7	0.039 (*6)
194	III	2	2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	14	0.037 (*6)

Remark of tests of FprEN 71, Part 3 :

*3. The weight of sample marked (*3) available was less than 100mg, but greater than 10mg, so result was calculated as if 100mg of the sample was available.

*4. The weight of sample marked (*4) available was less than 10mg, so the test for soluble heavy metal content was not performed.

*5. Migration of total Tin (Sn) does not exceed the migration limit of organic tin listed in table 3, therefore, the material(s) could be exempt from the migration test of organic tin which should be conducted according to FprEN 71-3:2013 clause 7, 8 and Annex G.

*6. Migration of total Chromium does not exceed the migration limit of Chromium (III) and Chromium (VI) listed in table 2, therefore, the material(s) could be exempt from the migration test of Chromium (III) and Chromium (VI) which should be conducted according to FprEN 71-3:2013 clause 7, 8 and Annex F.

*7. Migration of total Chromium exceeds the migration limit of Chromium (VI) in table 2, pls. refer to section B of this clause for the migration test of Chromium (III) and Chromium (VI).

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

Table 1 - Limit and MDL of General elements (Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Cobalt, Copper, Lead, Manganese, Mercury, Nickel, Selenium, Strontium, Tin, Zinc and Chromium).

Element	Limit (mg/kg)			MDL (mg/kg)
	Category			
	I	II	III	
Aluminium (Al)	5625	1406	70000	1
Antimony (Sb)	45	11.3	560	1
Arsenic (As)	3.8	0.9	47	0.1
Barium (Ba)	4500	1125	56000	1
Boron (B)	1200	300	15000	1
Cadmium (Cd)	1.9	0.5	23	0.1
Cobalt (Co)	10.5	2.6	130	1
Copper (Cu)	622.5	156	7700	1
Lead (Pb)	13.5	3.4	160	1
Manganese (Mn)	1200	300	15000	1
Mercury (Hg)	7.5	1.9	94	1
Nickel (Ni)	75	18.8	930	1
Selenium (Se)	37.5	9.4	460	1
Strontium (Sr)	4500	1125	56000	1
Tin (Sn)	15000	3750	180000	0.05
Zinc (Zn)	3750	938	46000	1
Chromium (Cr)	-	-	-	0.005

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

Table 2 - Limit and MDL of Chromium (III) and chromium (VI)

Element	Limit (mg/kg)			MDL (mg/kg)
	Category			
	I	II	III	-
Chromium (III) (Cr3+)	37.5	9.4	460	0.005
Chromium (VI) (Cr6+)	0.02	0.005	0.2	0.005

Table 3 - Limit and MDL of Organic tin:

Parameter	Limit (mg/kg)			MDL (mg/kg)
	Category			
	I	II	III	
Methyl tin (MeT)	0.9	0.2	12	0.1
Butyl tin (BuT)				0.1
Di-n-propyl tin (DProT)				0.1
n-Octyl tin (MOT)				0.1
Dibutyl tin (DBT)				0.1
Di-n-octyl tin (DOT)				0.1
Diphenyl tin (DPhT)				0.1
Tributyltin (TBT)				0.1
Triphenyl tin (TPhT)				0.1
Tetrabutyl tin (TeBT)				0.1


Note: - mg/kg = ppm

- N.D. = Not Detected

- MDL = Method Detection Limit

Test Report No.

EFSN13040539C-2




Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.




EFSN13040539C-2



Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pl.eurofins.com


Test Report No.
EFSN13040539C-2

Photo attachment	
Item No. 15 	Item No. 16 
Item No. 17 	Item No. 18 
Item No. 19 	Item No. 21 

Eurofins Testing Technology (Shenzhen) Co. Ltd.

3A, F1.6, Tianfa Building, Tian'an Cyber Park, Futian District, Shenzhen City, Guangdong, P. R. China
Tel.: +86 755 8358 5700 Fax: +86 755 8358 5701 Website: www.eurofins.com / www.pt.eurofins.com

Test Report No.
EFSN13040539C-2

Photo attachment	
Item No. 22	Item No. 23
	

--- END ---