

Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017

Date : 16-Nov-2017 Page : 1 of 11

TEST REPORT

APPLICANT :

ADDRESS :

SAMPLE DESCRIPTION : Wooden toys

ITEM NO. : E72515610,E72515620,E72515640,E72511210,E725112

20,E72510240,E72511290,E72511300.E72511360,E7251 1590,E72511460,E72511470,E72511480,E72511490,E72 515630,E72511280,E72511230,E72511750,E72510090,E 72515280,E72515440,E72530720,E72530730,E7253074 0,E72530750,E72530780,E72530790,E72511340,E72511

320,E72511330,E72530760

MANUFACTURER : Orient Technology limited

COUNTRY OF ORIGIN : China

COUNTRY OF DESTINATION : EUROPEAN MARKET

AGE REQUESTED ON APPLICATION FORM : 3+

LABELED AGE GRADE : 3 Year+

AGE GRADE APPLIED IN TESTING : Over 3 Years

SAMPLE RECEIVED DATE : 02-Nov-2017

FURTHER INFORMATION DATE : 16-Nov-2017

TURN AROUND TIME : 02-Nov-2017 to 16-Nov-2017

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

| TEST REQUESTED | TEST METHOD/REGULATION | RESULT |
|------------------------------------|--------------------------|--------|
| Mechanical and Physical Properties | EN71 Part 1:2014 | Pass |
| Labeling Requirement | Directive 2009/48/EC | Pass |
| Flammability of Toys | EN71 Part 2:2011+A1:2014 | Pass |
| Migration of Certain Elements | EN71 Part 3:2013+A1:2014 | Pass |

Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Burofins Product Testing Service (Shanghai) Co., Lid ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to <a href="https://doi.org/10.1016/j.chi/deucolins.com/nd/en/files/materials-email-to-the-written-permission of Eurofins Product Testing Service (Shanghai) Co., If you happen to have any complaints, please do it by sending email to <a href="https://doi.org/10.1016/j.chi/deucolins.com/nd/en/files/materials-email-to-the-written-permission of Eurofins Product Testing Service (Shanghai) Co., If you happen to have any complaints, please do it by sending email to <a href="https://doi.org/10.1016/j.chi/deucolins.com/nd/en/files/materials-email-to-the-written-permission of Eurofins Product Testing Service (Shanghai) Co., If you happen to have any complaints, please do it by sending email to <a href="https://doi.org/10.1016/j.chi/deucolins.com/nd/en/files/materials-email-to-the-written-permission of Eurofins Product Testing Service (Shanghai) Co., If you happen to have any complaints, please do it by sending email to <a href="https://doi.org/10.1016/j.chi/deucolins.com/nd/en/files/materials-email-to-the-written-permission of Eurofins Product Testing Service (Shanghai) Co., If you happen to have any complaints of Eurofins Product Testing Service (Shanghai) Co., If you happen to have any complaints of Eurofins Product Testing Service (Shanghai) Co., If you happen to have any complaints of Eurofins Product Testing Service (Shanghai) Co., If you happen to have any complaints of Eurofins Product Testing Service (Shanghai) Co., If you happen to have any complaints of Eurofins Product Testing Service (Shanghai) Co., If you happen to have a service (Shanghai) Co., If you happen to have a service (Shanghai) Co.



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017

Page : 2 of 11

Eurofins (Shanghai) contact information

Customer service: <u>TracyZhang@eurofins.com</u> / 021-61819259 Sales <u>specialist</u>: <u>JackZhang@eurofins.com</u> / 18601770010

Signed for and on behalf of Eurofins Product Testing Service (Shanghai) Co., Ltd

Joyce Liu Lab Manager



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017 Page : 3 of 11

SAMPLE PHOTO(S)



EFSH17101731-CG-01



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017 Page : 4 of 11

COMPONENT LIST

| Component No. | Component | Quote From |
|---------------|---|--------------------|
| 1 | Transparent coating on wood | EFSH17101728-CG-01 |
| 2 | White coating on wood | - |
| 3 | Black coating on wood | - |
| 4 | Green coating on wood | - |
| 5 | Brown coating on wood | - |
| 6 | Light yellow coating on wood | - |
| 7 | Yellow coating on wood | - |
| 8 | Red coating on wood | - |
| 9 | Orange coating on wood | - |
| 10 | Blue coating on wood | - |
| 11 | Dark beige plywood excluding coating | - |
| 12 | Natural color wood excluding coating (handle) | EFSH17101728-CG-01 |
| 13 | Dark beige paper | EFSH17101728-CG-01 |



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017 Page : 5 of 11

TEST RESULT

Mechanical and Physical Properties

As specified in European Standard on Safety of Toys EN71 Part 1:2014 Test Request:

| Section | Description | Result |
|------------------------|--|------------|
| 4 | General requirements | |
| 4.1 | Material cleanliness (by visual assessment) | Р |
| 4.2 | Assembly | N/A |
| 4.3 | Flexible plastic sheeting | N/A |
| 4.4 | Toy Bags | N/A |
| 4.5 | Glass | N/A |
| 4.6 | Expanding Materials | N/A |
| 4.7 | Edges | P |
| 4.8 | Points and Metallic Wires | P |
| 4.9 | Protruding parts | Р |
| 4.10 | Parts moving against each other | |
| 4.10.1 | Folding and sliding mechanisms | N/A |
| 4.10.2 | Driving mechanisms. | N/A |
| 4.10.3 | Hinges | N/A |
| 4.10.4 | Springs | N/A |
| 4.11 | Mouth-actuated toys and other toys intended to be put in the mouth | N/A |
| 4.12 | Balloons | N/A |
| 4.13 | Cords of toy kites and other flying toys. | N/A |
| 4.14 | Enclosures | 1471 |
| 4.14.1 | Toys which a child can enter | N/A |
| 4.14.2 | Masks and helmets | N/A |
| 4.15 | Toys intended to bear the mass of a child | INO |
| 4.15.1 | Toys propelled by the child or by other means | N/A |
| 4.15.2 | Toy bicycles | N/A |
| 4.15.3 | Rocking horses and similar toys | N/A |
| 4.15.4 | Toys not propelled by a child | N/A |
| 4.15.5 | Toys scooters | N/A |
| 4.16 | Heavy immobile toys | N/A |
| 4.17 | Projectiles | N/A |
| 4.18 | Aquatic toys and inflatable toys | N/A |
| | Percussion caps specifically designed for use in toys and toys using | |
| 4.19 | percussion caps | N/A |
| 4.20 | Acoustics | |
| 4.20.2.1 | General | N/A |
| 4.20.2.2 | Close-to-the-ear toys | N/A |
| 4.20.2.3 | Table-top or floor toys | N/A |
| 4.20.2.4 | Hand-held toys | N/A |
| 4.20.2.5 | Toys using headphones or earphones | N/A |
| 4.20.2.6 | Rattles | N/A |
| 4.20.2.7 | Squeeze toys | N/A |
| 4.20.2.7 | Pull-along or push toys | N/A |
| 4.20.2.8 | Percussion toys | N/A N/A |
| 4.20.2.10 | Wind toys | N/A |
| | | |
| 4.20.2.11 4.20.2.12 | Cap-firing toys | N/A N/A |
| | Voice toys | |
| 4.21 | Toys containing a non-electrical heat source | N/A |
| 4.22 | Small balls | N/A |
| 4.23 | Magnets | N/A |



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017 Page : 6 of 11

TEST RESULT

| Section | Description | Result |
|---------|---|--------|
| 4.24 | Yo-yo balls | N/A |
| 4.25 | Toys attached to food | N/A |
| 5 | Toys intended for children under 36 months | |
| 5.1 | General requirements | N/A |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | N/A |
| 5.3 | Plastic sheeting | N/A |
| 5.4 | Cords, chains and electrical cables in toys | N/A |
| 5.5 | Liquid-filled toys | N/A |
| 5.6 | Speed limitation of electrically-driven ride-on toys | N/A |
| 5.7 | Glass and porcelain | N/A |
| 5.8 | Shape and size of certain toys | N/A |
| 5.9 | Toys comprising monofilament fibres | N/A |
| 5.10 | Small balls | N/A |
| 5.11 | Play figures | N/A |
| 5.12 | Hemispheric-shaped toys | N/A |
| 5.13 | Suction cups | N/A |
| 5.14 | Straps intended to be worn fully or partially around the neck | N/A |
| 6 | Packaging | N/A |
| 7 | Warnings, markings and instructions for use | |
| 7.1 | General | N/A |
| 7.2 | Toys not intended for children under 36 months | N/A |
| 7.3 | Latex Balloons | N/A |
| 7.4 | Aquatic toys | N/A |
| 7.5 | Functional Toys | N/A |
| 7.6 | Hazardous sharp functional edges and points | N/A |
| 7.7 | Projectiles | N/A |
| 7.8 | Imitation protective masks and helmets | N/A |
| 7.9 | Tov kites | N/A |
| 7.10 | Roller skates, inline skates, skateboards and certain other ride-on toys | N/A |
| 7.11 | Toys intended to be attached to or strung across a cradle, cot, or perambulator | N/A |
| 7.12 | Liquid-filled teethers | N/A |
| 7.13 | Percussion caps specifically designed for use in toys | N/A |
| 7.14 | Acoustics | N/A |
| 7.15 | Toys bicycles | N/A |
| 7.16 | Toys intended to bear the mass of a child | N/A |
| 7.17 | Toys comprising monofilament fibres | N/A |
| 7.18 | Toy scooters | N/A |
| 7.19 | Rocking horses and similar toys | N/A |
| 7.20 | Magnetic/electrical experimental sets | N/A |
| 7.21 | Toy with electrical cables exceeding 300mm in length | N/A |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | N/A |

Remark:

P – Pass F – Fail

NA - Not Applicable

TO BE CONTINUED

Eurofins Product Testing Service (Shanghal) Co., Ltd No.395 West Jiangchang Road, Jing'an District, Shanghal, China



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017 Page : 7 of 11

TEST RESULT

Labeling Requirement

Test Request:

Labeling requirement including Washing/Cleaning instruction, CE mark, importer / manufacturer name and address, product identification as specified in Directive 2009/48/EC –

Safety of toys

| Labeling Content | Observation Result | Location | Conclusion |
|-------------------------------|---|----------------------|------------|
| Washing/Cleaning Instruction | Not Applicable | - | - |
| CE Mark | Present, Correct form, CE marking (height = 10 mm) | Packaging Product | Pass |
| Importer's Name & Address | Present | Packaging | Pass |
| Manufacturer's Name & Address | Present | Packaging | Pass |
| Product ID | Present | Packaging | Pass |



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017 Page : 8 of 11

TEST RESULT

Flammability of Toys

As specified in European Standard on Safety of Toys EN71 Part 2:2011+A1:2014 Test Request:

| Section | Description | Result |
|---------|---|--------|
| 4 | General requirements | |
| 4.1 | General Requirements | Р |
| 4.2 | Toys to be wom on the head | N/A |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in play | N/A |
| 4.4 | Toys intended to be entered by a child. | N/A |
| 4.5 | Soft-filled toys (animals and dolls, etc) | N/A |
| 4.5 | (Sample was not tested if its maximum dimension is 150mm or less.) | IVA |

Remark:

P – Pass F – Fail

NA - Not Applicable



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017 Page : 9 of 11

TEST RESULT

Migration of Certain Elements

Migration of certain elements as specified in European Standard on Safety of Toys EN71 Part 3:2013+A1:2014 Test Request:

Extractable Organic Tin -With reference to EN 71 Part 3:2013+A1:2014, analysis was Test Method:

performed by GC-MS.
General elements – With reference to EN 71 Part 3:2013+A1:2014, analysis was performed by

ICP-MS.

Extractable Chromium(III) and Chromium(VI) - With reference to EN 71 Part 3:2013+A1:2014,

analysis was performed by HPLC-ICP-MS.

| Toot Itom/o): | | Result | | | | | | | |
|-------------------------------------|-------|--------|-----|-----|-----|-----|----|-----|-----|
| Test Item(s): | Unit | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| Category Type | | * | * | * | * | * | * | * | * |
| Extractable Lead (Pb) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Antimony (Sb) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Arsenic (As) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Barium (Ba) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Cadmium (Cd) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Mercury (Hg) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Selenium (Se) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Boron (B) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Cobalt (Co) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Manganese (Mn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Strontium (Sr) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Zinc (Zn) | mg/kg | 754 | 173 | 152 | 191 | 424 | ND | 169 | 167 |
| Extractable Copper (Cu) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Aluminum (AI) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Nickel (Ni) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Tin (Sn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Organic Tin#1 | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Chromium#2 | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Chromium (III) (Cr III) | mg/kg | - | - | - | - | - | - | - | - |
| Extractable Chromium (VI) (Cr VI) | mg/kg | - | - | - | - | - | - | - | - |



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017

Page : 10 of 11

TEST RESULT

| Toot Itom/o): | | Result | | | | | | |
|-------------------------------------|-------|--------|-----|----|----|------|--|--|
| Test Item(s): | Unit | 9 | 10 | 11 | 12 | 13 | | |
| Category Type | | * | * | = | ≡ | * | | |
| Extractable Lead (Pb) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Antimony (Sb) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Arsenic (As) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Barium (Ba) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Cadmium (Cd) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Mercury (Hg) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Selenium (Se) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Boron (B) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Cobalt (Co) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Manganese (Mn) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Strontium (Sr) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Zinc (Zn) | mg/kg | 116 | 177 | ND | ND | ND | | |
| Extractable Copper (Cu) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Aluminum (Al) | mg/kg | ND | ND | ND | ND | 65.9 | | |
| Extractable Nickel (Ni) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Tin (Sn) | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Organic Tin#1 | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Chromium#2 | mg/kg | ND | ND | ND | ND | ND | | |
| Extractable Chromium (III) (Cr III) | mg/kg | - | - | - | - | - | | |
| Extractable Chromium (VI) (Cr VI) | mg/kg | - | - | - | • | - | | |

mg/kg = milligram per kilogram MDL = Method Detection Limit ND = Not Detected, less than MDL

- Note:
 #1 The migration of organic tin is expressed as tributyltin.
- #2 If the migration of total Chromium is below the maximum limit for Chromium (VI), it can be inferred that the material complies with the requirements for both Chromium(III) and Chromium(VI).

^{*} The test result was calculated as if 100 mg of test portion had been used and the sample weight of test portion is less than 100 mg.



Report No. : EFSH17101731-CG-01 Date : 16-Nov-2017 Page : 11 of 11

TEST RESULT

Limits -MDL per category type:

| Test Item(s): | Unit | Limit | MDL | Limit | MDL | Limit | MDL | |
|-------------------------------------|-------|-------|------|-------|-------|--------|------|--|
| Category Type | | | | _ | I | iii | | |
| Extractable Lead (Pb) | mg/kg | 13.5 | 1 | 3.4 | 0.2 | 160 | 10 | |
| Extractable Antimony (Sb) | mg/kg | 45 | 5 | 11.3 | 1 | 560 | 10 | |
| Extractable Arsenic (As) | mg/kg | 3.8 | 0.2 | 0.9 | 0.1 | 47 | 5 | |
| Extractable Barium (Ba) | mg/kg | 1500 | 50 | 375 | 10 | 18750 | 50 | |
| Extractable Cadmium (Cd) | mg/kg | 1.3 | 0.1 | 0.3 | 0.05 | 17 | 1 | |
| Extractable Mercury (Hg) | mg/kg | 7.5 | 0.5 | 1.9 | 0.2 | 94 | 10 | |
| Extractable Selenium (Se) | mg/kg | 37.5 | 2 | 9.4 | 1 | 460 | 10 | |
| Extractable Boron (B) | mg/kg | 1200 | 50 | 300 | 10 | 15000 | 50 | |
| Extractable Cobalt (Co) | mg/kg | 10.5 | 1 | 2.6 | 0.2 | 130 | 10 | |
| Extractable Manganese (Mn) | mg/kg | 1200 | 50 | 300 | 10 | 15000 | 50 | |
| Extractable Strontium (Sr) | mg/kg | 4500 | 50 | 1125 | 50 | 56000 | 50 | |
| Extractable Zinc (Zn) | mg/kg | 3750 | 50 | 938 | 50 | 46000 | 50 | |
| Extractable Copper (Cu) | mg/kg | 622.5 | 10 | 156 | 10 | 7700 | 50 | |
| Extractable Aluminum (AI) | mg/kg | 5625 | 50 | 1406 | 50 | 70000 | 50 | |
| Extractable Nickel (Ni) | mg/kg | 75 | 5 | 18.8 | 2 | 930 | 10 | |
| Extractable Tin (Sn) | mg/kg | 15000 | 50 | 3750 | 50 | 180000 | 50 | |
| Extractable Organic Tin*1 | mg/kg | 0.9 | 0.2 | 0.2 | 0.2 | 12 | 0.2 | |
| Extractable Chromium#2 | mg/kg | - | 0.02 | - | 0.005 | - | 0.02 | |
| Extractable Chromium (III) (Cr III) | mg/kg | 37.5 | 2 | 9.4 | 1 | 460 | 10 | |
| Extractable Chromium (VI) (Cr VI) | mg/kg | 0.02 | 0.02 | 0.005 | 0.005 | 0.2 | 0.1 | |

Category I: dry, brittle, powder-like or pliable toy material Category II: liquid or sticky toy material Category III: scrapped-off toy material "-": Not Regulated

END OF THE REPORT